L Number	Hits	Search Text	DB	Time stamp
1	4	(("6075939") or ("6457174")).PN.	USPAT;	2004/03/30 12:13
			US-PGPUB;	
			EPO;	
			DERWENT;	
			IBM_TDB	
2	0	remote adj procedure adj call with (jump adj table)	USPAT;	2004/03/30 12:14
		, , , ,	US-PGPUB;	
			EPO;	
			DERWENT;	
			IBM_TDB	
3	l 0	remote adj procedure adj call same (jump adj table)	USPAT;	2004/03/30 12:14
			US-PGPUB;	
			EPO;	
			DERWENT;	
			IBM_TDB	
4	2	remote adj procedure adj call same (jump)	USPAT;	2004/03/30 12:24
		, , , , , , , , , , , , , , , , , , , ,	US-PGPUB;	
			EPO;	
[DERWENT;	
			IBM_TDB	
5	7	6108715.URPN.	USPAT	2004/03/30 12:19
6	32	remote adj procedure adj call same (processor or cpu) with	USPAT;	2004/03/30 14:47
		address	US-PGPUB;	
			EPO;	
			DERWENT;	
			IBM_TDB	
7	0	remote adj procedure adj call same (processor or cpu) with	USPAT;	2004/03/30 14:47
		reserv\$3 near address	US-PGPUB;	
			EPO;	
			DERWENT;	
			IBM_TDB	
8	0	remote adj procedure adj call same reserv\$3 near address	USPAT;	2004/03/30 14:47
]			US-PGPUB;	
			EPO;	
i i			DERWENT;	
			IBM_TDB	,
9	0	remote adj (procedure or call or method) same reserv\$3 near	USPAT;	2004/03/30 14:50
		address	US-PGPUB;	
			EPO;	
			DERWENT;	
44	_	(IBM_TDB	0004/00/00 :: ==
11	0	(processor or cpu) with reserv\$3 near address same remote	USPAT;	2004/03/30 14:50
		adj (procedure or call or method or invocation)	US-PGPUB;	
			EPO;	
			DERWENT;	
10	118	(processor or cpu) with reserv\$3 near address	IBM_TDB	2004/03/30 15:07
'	110	(processor or cha) with reservas hear address	USPAT; US-PGPUB;	2004/03/30 15:0/
]		√.	EPO; DERWENT;	
			IBM_TDB	
12	95	((processor or cpu) with reserv\$3 near address) and ((@ad <	USPAT;	2004/03/30 14:57
'-	35	"20000407") or (@prad < "20000407") or (@rlad <	US-PGPUB;	2004/00/30 14.37
		20000407) 01 (@plad < 20000407) 01 (@flad <	EPO;	
		20003701]]	DERWENT;	
			IBM_TDB	
13	45	((processor or cpu) with reserv\$3 near address) and ((@ad <	USPAT;	2004/03/30 15:03
'	75	"20000407") or (@prad < "20000407") or (@rlad <	US-PGPUB;	230-7700700 10.00
	İ	"20000407")) and network	EPO;	
		20000 for 11 und notwork	DERWENT;	İ
			IBM_TDB	
L		<u> </u>	100	

14	26	((processor or cpu) with reserv\$3 near address) and ((@ad <	USPAT;	2004/03/30 15:04
		"20000407") or (@prad < "20000407") or (@rlad <	US-PGPUB;	•
		"20000407")) and (jump or entry adj point)	EPO;	
			DERWENT;	
			IBM_TDB	
15	2	(processor or cpu) with reserv\$3 near address same (jump or	USPAT;	2004/03/30 15:07
		entry adj point)	US-PGPUB;	
			EPO;	
			DERWENT;	
			IBM TDB	